



## Install Your Aisle7 Countertop-Mount for iPad

### Tools Required for Installation:

Drill  
3/16" Drill bit  
3/4" Drill bit  
Socket wrench and 7/16" socket  
Power strip or extension cord (optional)

### Included Hardware:


Apple® iPad and cable  
iPad AC adaptor  
Countertop mount  
Optional adhesive base  
Drilling template  
1/4" x 2" Lag bolt (2)  
1/4" x 2 1/4" Machine bolt  
Pan washer  
Lock washer  
Thimble  
Bolt cap

### **Choose Your Location Wisely!**


- a. Your Aisle7 Countertop-Mount for iPad ships with the longest-available iPad power cable, which plugs in to an AC adaptor. Mounting uses approximately one foot of cable, leaving five feet to reach a power source. Before beginning the installation process, please **verify that there is a secure power source within reach** of the iPad. You may extend your range by plugging the adaptor into a power strip or grounded extension cord.
- b. Your Aisle7 Countertop-Mount for iPad shipped with an optional adhesive base for mounting on to surfaces where drilling is not possible. On the bottom of the base you will see several strips of heavy duty industrial adhesive. Use the optional adhesive base and adhesives only if you don't mind potentially damaging the mounting surface, should you choose to remove the device in the future.
- c. If you use the adhesive base, the iPad AC adaptor cable will pass through the bottom of the base to a power source **behind** the iPad. Please keep this in mind when choosing where to mount the base. For security purposes, it is always preferable to conceal the power source.
- d. If you use the countertop mount without the optional adhesive base, you will notice that it is configured to pass the adaptor cable to a power source **beneath** the mounting surface. For security purposes, it is preferable to mount the iPad above a cabinet with a power outlet contained inside, or one in which you may conceal an extension cord.

## Installation Using Countertop Mount without the Adhesive Base

1. Once you have chosen an appropriate mounting location according to the guidelines above, tape the supplied Drilling Template to the surface.




Step 1



Step 2

2. Drill the thimble hole using a 3/4" drill bit, and the bolt hole using a 1/4" bit.
3. Firmly press the thimble into the countertop mount, making sure the slot aligns with the notches as shown. Route adaptor cable into the thimble hole (USB connector first).



Step 3



Step 5


4. Pull the adaptor cable through the drilled thimble hole and place the countertop mount on the mounting surface, aligning it with the holes you've drilled. Attach the cable to the adaptor.
5. Install lag bolt (or machine bolt with supplied pan washer, lock washer, and nut) as shown.
6. Press the bolt cap in to place and you're done!

## Installation Using the Optional Adhesive Base

1. Once you have chosen an appropriate location according to the guidelines above, make sure it is clean and free from dust.
2. Insert the adaptor cable (USB connector first) into the thimble hole.



*Step 2*



*Step 3*

3. Firmly press the thimble into the base, making sure the slot aligns with the notches as shown. Route the adaptor cable into the thimble hole.
4. Align Aisle7 Countertop Mount for iPad on to optional base through the correct holes. Route adaptor cable as shown through the slot. Attach the cable to the adaptor.



*Step 4*



*Step 5*

5. Install machine bolt with supplied washer, lock washer, and nut.
6. When you have tightened the machine bolt and nut, remove the backing on the tape under the base.
7. You are now ready to place the iPad mount on its surface!